




Bay & Bow | Double-Hung | Single-Hung
Sliding | Fixed, Radius & Geometric | Garden | Patio Doors

RELIABILITY *for real life*®




ELEMENTS AND OPTIONS

Window and Patio Door Styles




Bay & Bow




Double-Hung




Single-Hung Tilt




Single-Hung Side Load



Sliding



Fixed, Radius and Geometric



Garden



Sliding Patio Door

Frame Options

Integral Nailing Fin



A 1-1/4" pre-punched fin comes standard on all Builders Vinyl windows.

Pocket Frame



Available with slope sill adapter and head expander

Flush Fin



Subject to regional availability

Block Frame



Exterior Vinyl Colors †



White



Desert Sand



Almond*

*Subject to regional availability.

Grilles Between the Glass (GBG)



Available in Contour & Flat

Simulated Divided Lites (SDL)



Available in 7/8" Contour

Contour



5/8"



7/8"



1"

Flat



5/8"



7/8"

WEN-Lock®



Wen-Lock Finishes †



White



Desert Sand

Style Cam-Lock



Style Cam-Lock Finishes †



Chestnut Bronze



Antique Brass



Brushed Chrome



Polished Brass



White





Desert Sand

PERFORMANCE GLASS OPTIONS

Energy Saver®—REDUCE HEAT LOSS UP TO 30%

Offering the most cost-efficient energy upgrade, the Energy Saver package includes upgrades from clear to Low-E glass and argon gas for improved thermal performance. Energy Saver reduces heat loss by 30% compared to clear insulating glass.



Energy Saver® Plus—REDUCE HEAT LOSS UP TO 40%

The best value in insulating glass, Energy Saver Plus includes, argon gas for improved thermal performance and LoE³-366 glass. With triple layers of Low-E coating, LoE³-366 helps you save energy through improved thermal performance, reduces solar heat gain and helps protect interior furnishing from fading.

With Energy Saver Plus, your windows qualify for tax credits under the economic stimulus plan. Energy Saver Plus reduces heat loss by 40% compared to clear insulating glass.

Tempered Glass

When glass is heat-treated during manufacturing, it is provided with extra strength, enabling it to withstand abnormal force or pressure on its surface — it will not break into sharp pieces. Local codes often require tempered glass to be used in all windows that are close to the floor or near doors, bathtubs or showers.



Neat® Glass*

With this glass option you gain natural cleaning convenience. By harnessing the sun's UV rays (even when the sky is cloudy) to loosen dirt from the glass, rainwater can easily rinse away grime. No manual activation is required. For more information visit www.jeld-wen.com/neatglass.

Textured and Tinted Glass*



Obscure

Glue Chip

Rain

Reed

Bronze

Grey

*Subject to regional availability

TegraTite® Installation System

TegraTite streamlines the installation process, making it easy to install a sill drainage system under JELD-WEN Vinyl windows and patio doors. Our sill drain mat sits on the rough opening and directs any incidental water away from the wall, keeping it dry. Combine that with our new butyl-based adhesive flashing tape for a tighter, more energy efficient installation.

Learn more about TegraTite at www.jeld-wen.com/tegratite



The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at jeld-wen.com today.

OUR RELIABILITY PROMISE

JELD-WEN products create lasting value for your home. We are so confident that you will be pleased with our Vinyl Windows and Patio Doors, that each one carries our industry-leading warranty. Here are just some of the highlights of our warranty...

The Vinyl Window & Patio Door Limited Warranty Includes:

- Limited lifetime coverage for defects in material and workmanship for most product components (such as insulating glass, vinyl and metal components, and hardware) for as long as you own and occupy your home
- Skilled labor for warranty repairs is covered for 2 years
- 10-year coverage on blinds and shades between the glass
- 10-year coverage on colored exterior and laminate interior
- 5-year coverage on retractable roll screens
- Coverage is transferable for 10 years
- Optional accidental glass breakage coverage

Important Legal Information

This Limited Warranty document sets forth our maximum liability for our products. We shall not be liable for special, indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. We make no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the product, except as expressly contained herein. In the event state or provincial law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein. This Limited Warranty document gives you specific legal rights, and you may have other rights that vary from state/province to state/province.

NOTE: The above information is a summary of key provisions of the JELD-WEN Vinyl Window & Patio Door Limited Warranty effective July 1, 2010. For a complete copy of the current warranty, see your sales associate or refer to www.jeld-wen.com.



Each one of our windows and patio doors is built to last. We prove this by supporting each product with our lifetime warranty.



Official window and door provider of Major League Soccer



JELD-WEN is proud to support a better way to build



Made in the USA

©2012, 2011, 2009 JELD-WEN, inc.; This publication and its contents are owned by JELD-WEN, inc. and are protected under the U.S. Copyright Act and other intellectual property laws. Unauthorized use or duplication is prohibited. All trademarks, service marks, logos and the like (whether registered or unregistered) are owned or controlled by JELD-WEN, inc. or others. Unauthorized use or duplication is prohibited. JELD-WEN reserves the right to change product specifications without notice.

Please check our website, jeld-wen.com, for current information.

11-733 03/12 (SB 4M)