

Exterior door systems you can *trust.*




BHIDoors
BY BUILDERS HARDWARE, INC.

SCAN WITH YOUR
SMART PHONE HERE

BHI Doors

BY BUILDERS HARDWARE, INC.

Distinguish *your home*... enhance the *curb appeal*.
Add distinctive style and increase the value of your home.





BHIDoors Commitment

All products featured are Florida Building Code Compliant, stocked in our Tampa warehouse, and backed by the manufacturer's warranty. BHI Doors continues a commitment to service excellence established in 1946.

All doors sold are unfinished.



The Entry System.....	p. 4-6
Solid Door Choices	p. 7-13
Decorative Doorglass	p. 14-58
Severe Weather®	p. 18-25
Energy Saving Products	p. 59-67
Entry Components, Hardware, Specifications & Product Approvals	p. 68-80

Entry systems that *look great* and
work great
today and for a long time to come.

BHI Doors uses best-in-class components—doors, doorglass, frames, thresholds, locksets, and hardware—to create entry systems with enduring good looks and superior performance. Great craftsmanship, beautiful glass patterns, a wide range of finish and hardware options, superior construction, and energy-saving features come together in a wide range of entry systems that enhance the value of your home and add beauty to everyday living. And all our suppliers are US based. When you're ready to create your new entry, talk with **BHI Doors**. We're bringing enduring beauty and value to front doors everywhere.



Made in
USA!

A majority of our
system components
are USA
manufactured.

MADE IN USA!



PF FRAMES™



LOCKSETS



DOOR HINGES



DLP INDUSTRIES, INC

BHIDoors
BY BUILDERS HARDWARE, INC.

Think about the
total package.

ODL® DOORGLASS

It's the doorglass that makes the difference. Increase the perceived value of your home with ODL's innovative line of doorglass options.

FIBERGLASS AND STEEL DOORS

Our Plastpro® Fiberglass and Taylor Steel doors guarantee you a top-quality door for durability and performance.

STEEL FIRE-RATED FRAMES

NEW ALTERNATIVE TO WOOD FRAMES

Plastpro's PF™ Frames guarantee a long-lasting, rot-free entryway that will maintain its integrity today, tomorrow, as well as years down the road.

MULTI-POINT LOCKS

Create the ultimate secure-door system for fiberglass doors. Multiple latches and bolts prevent forced entry and create additional weather sealing.

YALE® RESIDENTIAL LOCKSETS

Combining years of engineering refinement with fine craftsmanship, Yale's three collections of locksets offer superior functionality, easy installation, and secure performance.

HINGES

A quality hinge requires attention to all details, inside and out. Our hinges are especially designed for high-performance and tested for long lasting endurance in the Florida environment.

THRESHOLDS & ASTRAGALS

We believe that your home is your safe haven. For additional security and weather protection our systems use DLP thresholds and astragals

FINISHING OPTIONS

For a finishing touch, select any of our stain kits available for the door and frame. See page 79 for options.

New Product Spotlight




WINDSERT "The Ventilation Combination"

This new product by DLP Industries is an operational window insert for a standard size exterior door. This product covers the full length of the door making it the perfect new alternative to the old jalousie style door. When the window is open, fresh air is introduced into the home, eliminating the need for a screen door. This product is offered with an amazing security screen option. With the window open, the security screen allows the cool breeze in and keeps the insects out, all without compromising security.

- Perfect for beach side residents
- Replaces old jalousie style doors
- Excellent for condominium doors, patio doors, cabana bath doors, and side garage doors
- Offered in IMPACT and NON-IMPACT
- Offered with clear or obscure glass



SCAN WITH YOUR
SMART PHONE HERE



Charming

Rustic Collection

Distinct European architectural style. When stained, deep wood graining and plank detail resemble the true look of a distressed wood door. **IMPACT-RATED. LIMITED LIFETIME WARRANTY**



**PLANK
2-PANEL ARCH
DRA2A**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•




8/0 Rustic Solid Plank Doors



**PLANK
2-PANEL ARCH
DRA2A80**

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**PLANK
2-PANEL
DRA2P80**

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0
						•

Craftsmanship

Woodgrain Textured

Our Woodgrain doors have a stainable* rich oak grain pattern that resembles the look, feel, and texture of real wood without any of the problems associated with wood. **IMPACT-RATED. LIMITED LIFETIME WARRANTY**



8/0 Solid Doors




9-PANEL
DRG9180

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0
						*




8-PANEL
CENTER ARCH
DRG8080

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0
						*




3-PANEL
DRG3080

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0
				*	*	*




TRUE 4-PANEL
DRG4180

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0
						*



6-PANEL
DRG6080

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0
			*	*	*	*



FLUSH
DRG0080

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0
	*	*	*	*	*	*



6/8 Solid Doors



**CRAFTSMAN
DRG6C**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**2-PANEL 3/4 HERITAGE
DRG20**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**3-PANEL 3/4 ELITE
DRG3E**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**3/4 PREMIUM
DRG3P**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**8-PANEL CENTER ARCH
DRG80**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**9-PANEL
DRG91**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**6-PANEL
DRG60**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
			•	•	•	•



**3/4 4-PANEL
DRG41**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**FLUSH
DRG00**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
	•	•	•	•	•	•

Reliability

Smooth Skin

This door is scratch-resistant! Patented, pre-pigmented white skin infuses the door through and through. Can be painted to coordinate with your home.

IMPACT-RATED. 25 YEAR LIMITED WARRANTY



8/0 Solid Doors



FLUSH
6/8, 7/0*, 8/0
DRS0080



6-PANEL
DRS6080



TRUE 4-PANEL
DRS4180



3-PANEL
DRS3080



**2-PANEL
SQUARE TOP**
DRS2B80



**2-PANEL
ARCH TOP**
DRS2D80

2/0	2/4	2/6	2/8	2/10	3/0
•	•	•	•	•	•

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0

8/0 x	2/0	2/4	2/6	2/8	2/10	3/0

* 7/0 doors stocked in 3/0 only.



6/8 Solid Doors



**6-PANEL (7/0 Available)
DRS60**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
			•	•	•	•

* 7/0 doors stocked in 3/0 only.



**3/4 4-PANEL
DRS49**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**3-PANEL 3/4 ELITE
DRS3E**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**2-PANEL 3/4 HERITAGE
DRS20**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**3/4 PREMIUM
DRS3P**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**8-PANEL CENTER ARCH
DRS80**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**2-PANEL ARCH TOP
DRS2D**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**2-PANEL SQUARE TOP
DRS2B**

6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•



**CRAFTSMAN
DRS6C**


6/8 x	2/0	2/4	2/6	2/8	2/10	3/0
						•

Elegance.


Mahogany Collection

A stainable* finer grain and more porous feel brings a warm hardwood tone that conveys a strong spirit of Mahogany with all the strength and integrity of fiberglass.

IMPACT-RATED. 25 YEAR LIMITED WARRANTY




6/8 SOLID MAHOGANY DOORS



3-PANEL 3/4 DELUXE
DRM30

6/8 x	3/0
	•



6-PANEL
DRM60

6/8 x	3/0
	•



Strength. Security. Durability.

Steel Edge


Rust-resistant and trouble-free. These unique door designs offer exceptional value and performance. Tested and approved for use in Florida and the High Velocity Hurricane Zone (HVHZ) as **IMPACT-RATED**.

5 YEAR LIMITED WARRANTY

90 MINUTE FIRE-RATING

20 Minute Fire-Rating available by Special Order.

6/8 Solid Doors



**FLUSH
SE3068F**

2/0	2/4	2/6	2/8	2/10	3/0
•	•	•	•	•	•



**6-PANEL
SE3068P6**

2/0	2/4	2/6	2/8	2/10	3/0
•	•	•	•	•	•



**8-PANEL
SE3068P8**

2/0	2/4	2/6	2/8	2/10	3/0
•	•	•	•	•	•



**9-PANEL
SE3068P9**

2/0	2/4	2/6	2/8	2/10	3/0
•	•	•	•	•	•



**3-PANEL
SE3068P3**

2/0	2/4	2/6	2/8	2/10	3/0
•	•	•	•	•	•



**2-PANEL
ARCH TOP
SE3068P3AT**

2/0	2/4	2/6	2/8	2/10	3/0
•	•	•	•	•	•



**2-PANEL
SQUARE TOP
SE3068P2**

2/0	2/4	2/6	2/8	2/10	3/0
•	•	•	•	•	•



**2-PANEL
SQUARE PLANK
SE3068P2RTPL**

2/0	2/4	2/6	2/8	2/10	3/0
•	•	•	•	•	•



Fire-Rated Door Frames

Fire-rated for masonry applications in multi-family residential and light commercial construction.

Excellent for new construction or remodeling

Frame Options

Kerf RediFlex®

PD Hollow Metal



8/0 Solid Steel Doors



**FLUSH
SE3080F**

8/0 x	2/0	2/6	2/8	2/10	3/0
•	•	•	•	•	•



**6-PANEL
SE308P6**

8/0 x	2/0	2/6	2/8	2/10	3/0
•	•	•	•	•	•

Choose the Right Doorglass for your home.

ODL® DECORATIVE DOORGLASS

What's your style?

We have glass designs to complement your home, furnishings, and your personal style.

Fascinate the eye with decorative doorglass.

We use handcrafted glass—clear, textured, beveled, and colored—in designs as varied as the people who buy them. The beauty of handcrafted glass is that every piece is different. Decorative glass is sealed between two panels of tempered safety glass, insulated for air- and water-tight performance. 20 YEAR GLASS SEAL WARRANTY

Coordinate your home's elements.

Caming

Caming—the metal work that joins glass—is an element of most designs. Watch for designs with caming choices—bronze, brass, nickel, wrought iron, and more—that coordinate with your door hardware, light fixtures, or interior furnishings, to create a personal style statement.

Light & Privacy

Our designs vary widely in the amount of light they bring in and the amount of privacy they afford. Each is given a privacy rating from 1 to 10 so you can choose the right amount of light or opacity for you.



Transparent — Opaque



Old World Style



Contemporary Style

Coordinating the Elements

PERSONAL STYLE



Craftsman Style



Eclectic Style



Classic Style

Express your Individual Style

CUSTOM GLASS PROGRAM

Customize

Don't see what you're looking for?

Talk to us and find out more about our custom design capabilities. We can customize just about any aspect of our designs—size, shape, glass color, texture, coming, and more. Or create something all your own.

Design & Pattern


Alter one of our doorglass designs or create one that's completely your own. We're happy to look at your ideas and find ways to bring them to life in doorglass.

Shape & Size

Can't find the transom shape you have in mind? Need a size that doesn't come standard? Tell us what you need and we'll design just about any custom size or shape you need.

Caming & Finish

Need a coming finish that isn't offered in the design you selected? Our custom program lets you choose the coming finish that coordinates with your door hardware, fixtures, or furnishing—even when it doesn't come standard.



Texture & Privacy

Love a design, but wish it offered more privacy? No trouble; just let us know. We can swap out glass textures to make almost any design more opaque or transparent.




TABLE OF CONTENTS

Helpful Tools

The **Decorative Doorglass** designs within each **Style Group** are listed in order by **Price Range**—from Most to Least.

Look for the **Easy Guide** to **Product Availability**.

686JA			
FULL LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•

686JA = Doorglass
Product Number


6/8 x = Door Height

2/8, 3/0 = Door Width

TF = Textured Fiberglass

SF = Smooth Fiberglass

We give each design a **Privacy Rating** from **1-10** to help you choose the level of openness you prefer.




Transparent — Opaque

SEVERE WEATHER® DOORGLASS

18-25


EXCLUSIVE COLLECTIONS: ETCHED & CARVED DESIGNS

24-25




CRAFTSMAN

A	GRF	Greenfield	27
B	KP	Oak Park	28
B	MO	Monterey	29
C	MI	Madison	30
C	PR	Prairie Bevel	31
D	TPZ	Topaz	32




OLD WORLD

A	VR	Veranda	33
A	PS	Paris	34
B	JA	Jacinto	35
B	AV	Avant	36
B	CA	Catalina	37
B	MD	Mediterranean	38




CONTEMPORARY

A	EN	Entropy	39
A	CR	Cirrus	40
B	LI	Impressions	41
C	RA	Radiant Hues	42
C	TE	Teton	43
D	SM	Simplicity	44




ECLECTIC

A	AG	Aragon	45
C	BLF	Bellflower	46
D	CSB	Casablanca	56



CLASSIC

A	EX	Expressions	47
A	CD	Cadence	48
A	LM	Legacy Master	49
B	HM	Heirlooms	50-51
D	TP	Tripoli	52
C	BT	Bristol	53
D	ME	Majestic	54
C	MN	Nouveau	55
D	TRC	Trace	57
D	CC	Cut Crystal	58



AROUND THE HOME

	Energy Savers	59
RN	Privacy Rain Glass	60
CGBG	Triple-Glazed Blinds	61
RLB	Blinds Between Glass	62
RLS	Shades Between Glass	63
-	Vents	63
GBG	Grilles Between Glass	64-65
CL	Clear & External Grilles	66-67
	Locksets	68-71
	Door Components	72-75
	Specifications	76-78
	PreFinishing Kits	79


Impact-Rated Entry Systems



Severe Weather® Doorglass by ODL

An *Attractive option*
to storm shutters.

The patented design of Severe Weather Doorglass provides protection from wind-borne debris in areas where wind speeds can exceed 120mph. BHI Door systems meet the wind and missile impact code requirements for Florida's Wind-borne Debris Regions. All impact-rated glass is insulated glass.



For Wind-Borne Debris Regions

SHUTTERED SYSTEMS


Use any ODL insulated doorglass in any fiberglass or steel doors shown in this catalog.

NON-SHUTTERED SYSTEMS

Use Severe Weather doorglass in any fiberglass or steel doors shown in this catalog.

HVHZ ENTRY SYSTEMS AVAILABLE AT BHI

Ask to see our HVHZ brochure.



FRAME FINISH
White Powder Coat

POWDER COATED ALUMINUM FRAME
U.S. PATENT NO. 5636484

THE ADDED VALUE OF NOISE SUPPRESSION

Laminated Severe Weather doorglass reduces sound transmission. See www.odl.com for Sound Transmission Coefficient (STC) rating.

FRAME DESIGN



612HM				493HM			
8/0 FULL LIGHT				8/0 SIDELIGHT			
8/0 x	2/8	2/10	3/0	12"	14"		
TF	•	•	•	•	•	•	•
SF	•	•	•	•	•	•	•
Steel	•	•	•	•	•	•	•



686HM				694HM			
FULL LIGHT				7" SIDELIGHT			
6/8 x	2/8	2/10	3/0	12"	14"		
TF	•	•	•	•	•	•	•
SF	•	•	•	•	•	•	•
Steel	•	•	•	•	•	•	•



607HM		
3/4 LIGHT		
6/8 x		3/0
TF	•	•
SF	•	•
Steel	•	•



684HM			
1/2 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•

HEIRLOOMS

Nickel Caming



HEIRLOOMS



612ME				493ME			
8/0 FULL LIGHT				8/0 SIDELIGHT			
8/0 x	2/8	2/10	3/0	12"	14"		
TF	•	•	•	•	•	•	•
SF	•	•	•	•	•	•	•
Steel	•	•	•	•	•	•	•



686ME				694ME			
FULL LIGHT				7" SIDELIGHT			
6/8 x	2/8	2/10	3/0	12"	14"		
TF	•	•	•	•	•	•	•
SF	•	•	•	•	•	•	•
Steel	•	•	•	•	•	•	•



684ME			
1/2 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•




651ME			
1/4 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•

MAJESTIC

Nickel Caming



MAJESTIC



CADENCE

CADENCE

Patina Caming



651CD			
1/4 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



607CD		
3/4 LIGHT		
6/8 x	3/0	
TF	•	
SF	•	
Steel	•	



686CD			
FULL LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



694CD	
7" SIDELIGHT	
12"	14"
TF	•
SF	•
Steel	•



612CD				493CD	
8/0 FULL LIGHT				8/0 SIDELIGHT	
8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



EXPRESSIONS

EXPRESSIONS

Brass or Satin Nickel




651EX			
1/4 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686CD			694CD		
FULL LIGHT			7" SIDELIGHT		
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



612EX				493EX	
8/0 FULL LIGHT				8/0 SIDELIGHT	
8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



PARIS

PARIS

Patina Caming



607PS [■]			
3/4 LIGHT			
6/8 x	3/0		
TF	•		
SF	•		
Steel	•		



686PS			694PS		
FULL LIGHT			7" SIDELIGHT		
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



612JA				493JA	
8/0 FULL LIGHT				8/0 SIDELIGHT	
8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



686JA				694JA	
FULL LIGHT				7" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

JACINTO

Wrought Iron



607JA			
3/4 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



JACINTO



612LI				493LI	
8/0 FULL LIGHT				8/0 SIDELIGHT	
8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



686LI				694LI	
FULL LIGHT				7" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

IMPRESSIONS



684LI			
1/2 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



IMPRESSIONS



612RA				493RA	
8/0 FULL LIGHT				8/0 SIDELIGHT	
8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•




686RA				694RA	
FULL LIGHT				7" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

RADIANT HUES

Nickel Caming



684RA			
1/2 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



RADIANT HUES



BLINDS BETWEEN GLASS



PRIVACY SERIES



GRAY GLASS

BLINDS BETWEEN GLASS

Raise, Lower & Tilt



684RLB

1/2 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686/687/624RLB | **690RLB**

FULL LIGHT				8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

694-BL SIDELIGHT TILT ONLY



612/496/487RLB

8/0 FULL LIGHT			
8/0 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•

PRIVACY SERIES

Double Glue Chip



684DGC

1/2 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686/687DGC | **694DGC**

FULL LIGHT				8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

GRAY GLASS

Thousands of marine turtles nest in U.S. coastal areas, and state and local ordinances protect hatchling turtles by limiting the brightness of inside-to-outside visible light transmittance.



612/496SGSG | **493SGSG**

8/0 FULL LIGHT				8/0 SIDELIGHT	
8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



684SGSG

1/2 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686/687SGSG | **694SGSG**

FULL LIGHT				8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



GRILLES BETWEEN GLASS



612/496GBG				493GBG			
8/0 • 18-LIGHT				8/0 SIDELIGHT			
8/0 x	2/8	2/10	3/0	12"	14"		
TF	•	•	•	•	•	•	•
SF	•	•	•	•	•	•	•
Steel	•	•	•	•	•	•	•



612/496GBG			
8/0 FULL LIGHT • 10-LIGHT			
8/0 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686/687GBG				694GBG			
FULL LIGHT • 15-LIGHT				7" SIDELIGHT			
6/8 x	2/8	2/10	3/0	12"	14"		
TF	•	•	•	•	•	•	•
SF	•	•	•	•	•	•	•
Steel	•	•	•	•	•	•	•



686/687/624GBG			
FULL LIGHT • 10-LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



607GBG		
3/4 LIGHT • 12-LIGHT		
6/8 x	3/0	
TF	•	
SF	•	
Steel	•	



684GBG			
1/2 LIGHT • 9-LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



LOW-E DOORGLASS



REDUCE SOLAR HEAT GAIN

In cold weather, Low-E glass stays warm on the inside, minimizing cold spots and convection currents.



REDUCES CONDENSATION

Cold glass and warm, moist indoor air can cause damaging condensation. Low-E glass keeps glass warmer, reducing condensation.



REDUCES FABRIC FADING

Low-E glass protects fabrics, carpets and all coverings from fading by blocking up to 61% of harmful ultra-violet rays.

PRAIRIE STYLE GRILLES BETWEEN GLASS



612/496PIM			
8/0 FULL LIGHT			
8/0 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686/687PIM			694PIM		
FULL LIGHT			7" SIDELIGHT		
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



684PIM			
1/2 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



612/496/487CL				493CL			
8/0 FULL LIGHT				8/0 SIDELIGHT			
8/0 x	2/8	2/10	3/0	12"	14"		
TF	•	•	•	•	•	•	•
SF	•	•	•	•	•	•	•
Steel	•	•	•	•	•	•	•



686/687/624CL				694CL			
FULL LIGHT				7" SIDELIGHT			
6/8 x	2/8	2/10	3/0	12"	14"		
TF	•	•	•	•	•	•	•
SF	•	•	•	•	•	•	•
Steel	•	•	•	•	•	•	•



607CL		
3/4 LIGHT		
6/8 x	3/0	
TF	•	
SF	•	
Steel	•	



684CL			
1/2 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



651CL			
1/4 LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•

CLEAR GLASS

Etched & Carved Doorglass

EXCLUSIVE COLLECTION FROM BHI DOORS



LILIES
BH1F



FOLIAGE
BH2F



BAMBOO
BH3F



PALM
BH4F



SEA LIFE
BH1U



KOI
BH2U



MANATEE
BH3U



MARLIN
BH4U



SCAN WITH YOUR
SMART PHONE HERE



Etched & Carved Doorglass


EXCLUSIVE COLLECTION FROM BHI DOORS



SANDBLASTING STYLES

ETCHED

CARVED



14" WIDE (624) GLASS DESIGN CHOICES



Or choose a center circle design of your liking.



Nature and artistry unite

Through the artistry of Julian and Karin Mesa, BHI Doors offers a unique line of doorglass inserts styled for Florida living. Enhance any size ODL clear glass insert with a beautiful etched or carved design. Etched glass displays traditional sandblasting. Carved glass unites sandblasting and additional carving in three-dimensional designs of unique beauty and texture.

- All designs are available in both etched or carved glass
- Etched designs are available as impact-rated doorglass for severe weather. 
- Full light glass designs are available in various widths: 14" for 2/0 and 2/4 doors, 20" for 2/6 doors, and 22" for 2/10 and 3/0 width doors, as well as custom sizes.

624=14" x 64"

6/8 x	2/0	2/4
TF	■	■
SF	■	■
Steel	■	■

687=20" x 64"

6/8 x	2/6
TF	■
SF	■
Steel	■

686=22" x 64"

6/8 x	2/10	3/0
TF	■	■
SF	■	■
Steel	■	■


- Designs are sandblasted on the interior side of a doorglass insert.
- All image views are from the inside, looking outside. Specify reverse view, if desired.
- Custom configurations are available. Please allow extra lead time for the quoting and approval process.

Visit www.bhitampa.com for more information about LaMancha Glass Gardens.

Craftsman Design Options



INSTOCK




GREENFIELD




OAK PARK



PRAIRIE BEVEL



MADISON



TOPAZ

DENTIL SHELF

27" Width. Fits 3/0 doors.



Dentil Shelves are made of lightweight HDP and will not warp, rot or crack. High Density Polyurethane (HDP) is an excellent alternative to GFRG, GFRC, FRP, and traditional wood products. Available in Woodgrain or Smooth Skin finish.

The high density polyurethane (HDP) provides many benefits such as:

- Easy installation
- Will not rot
- Closed cellular structure
- Will not warp or crack
- Optional screw hole plugs available for Craftsman frame



*3'0" door only. Model 800 series Craftsman frames are a flat profile that is different from the traditional profile. Please note this when matching with sidelights.






Oil-Rubbed Bronze Caming

- Thin Reed Glass
- Small Hammered Glass
- Pale Amber Soft Wave Glass
- Olive Soft Wave Glass
- Privacy Rating 7




686/687*GRF				694/690GRF	
FULL LIGHT				7" or 8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Mahogany	•	•	•	•	•
Steel	•	•	•	•	•



607GRF		422GRF	
3/4 LIGHT		3/4 SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•
Steel	•	•	•

814GRF		819GRF	
CRAFTSMAN LIGHT		8" SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•

TRANSOM 521GRF ■



8/0 Doors GREENFIELD



686GRF			694/690GRF	
8/0 3/4 LIGHT DOUBLE DOOR			7" or 8" SIDELIGHT	
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•

Craftsman style

OAK PARK



INSTOCK

©2003 ODL




Patina Caming

Clear Bevels

Thin Reed Glass

Seedy & Crinkle Glass

Privacy Rating 5



686/687*KP		694/690KP	
FULL LIGHT		7" or 8" SIDELIGHT	
6/8 x	2/8 2/10 3/0	12"	14"
TF	• • •	•	•
SF	• • •	•	•
Steel	• • •	•	•



684KP	
1/2 LIGHT	
6/8 x	2/8 2/10 3/0
TF	• • •
SF	• • •
Steel	• • •



814KP		819KP	
CRAFTSMAN LIGHT		8" SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•

TRANSOM 507/521KP ■

OAK PARK 8/0 Doors



612KP ■		493KP ■	
8/0 DOUBLE FULL LIGHT		FULL SIDELIGHT	
8/0 x	2/8 2/10 3/0	12"	14"
TF	• • •	•	•
SF	• • •	•	•
Steel	• • •	•	•



686KP		694/690KP	
8/0 3/4 LIGHT		7" or 8" SIDELIGHT	
8/0 x	2/8 3/0	12"	14"
TF	• •	•	•
SF	• •	•	•
Steel	• •	•	•

TRANSOM 507/521KP ■





Satin Nickel Caming or
Patina (Special Order)
Clear Bevels
Granite Glass
Micro-Granite Glass

Privacy Rating 7



607MO	422MO	
3/4 LIGHT	3/4 SIDELIGHT	
6/8 x 3/0	12"	14"
TF	•	•
SF	•	•
Steel	•	•



686MO	694/690MO	
FULL LIGHT	7" or 8" SIDELIGHT	
6/8 x 2/8 2/10 3/0	12"	14"
TF	•	•
SF	•	•
Steel	•	•

TRANSOM 507MO ■

8/0 Doors MONTEREY



686MO	694/690MO	
8/0 3/4 LIGHT	7" or 8" SIDELIGHT	
8/0 x 2/8 3/0	12"	14"
TF	•	•
SF	•	•
Steel	•	•

Craftsman style

MADISON



INSTOCK

©2007 ODL



Nickel Vein Wrought Iron

Micro-Cubed Glass

Privacy Rating 9



814MI		819MI	
CRAFTSMAN LIGHT		8" SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•




607MI	
3/4 LIGHT	
6/8 x	3/0
TF	•
SF	•
Steel	•




686/687*MI			694/690MI		
FULL LIGHT			7" or 8" SIDELIGHT		
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•


MADISON 8/0 Doors



686MI			694/690MI	
8/0 3/4 LIGHT			7" or 8" SIDELIGHT	
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



612MI			493MI		
8/0 FULL LIGHT			8/0 SIDELIGHT		
8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•





814PR	819PR
CRAFTSMAN LIGHT	8" SIDELIGHT
6/8 x 3/0	12" 14"
TF •	•
SF •	•

Patina Caming


Clear Bevels

Thin Reed Glass

Eaton Glass

Granite Glass

Privacy Rating 6



686/687*PR	694/690PR
FULL LIGHT	7" or 8" SIDELIGHT
6/8 x 2/8 2/10 3/0	12" 14"
TF •	•
SF •	•
Steel •	•




684PR	692PR
1/2 LIGHT	SIDELIGHT
6/8 x 2/8 2/10 3/0	12" 14"
TF •	•
SF •	•
Steel •	•



607PR	422PR
3/4 LIGHT	3/4 SIDELIGHT
6/8 x 3/0	12" 14"
TF •	•
SF •	•
Steel •	•

TRANSOM 506/507PR ■



8/0 Doors PRAIRIE BEVEL



DRS2D80
2-PANEL ARCH TOP
8/0 x 3/0
TF
SF •
Mahogany
Steel



686PR	694/690PR
8/0 3/4 LIGHT	7" or 8" SIDELIGHT
8/0 x 2/8 3/0	12" 14"
TF •	•
SF •	•
Steel •	•

Craftsman style

TOPAZ NEW



©2010 CDL



Patina Caming

- Micro-Granite Glass
- Bronze Softwave Glass
- Thin Reed Glass
- Clear Bevels

Privacy Rating 9



814TPZ		819TPZ	
CRAFTSMAN LIGHT		8" SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•



684TPZ				692TPZ	
1/2 LIGHT			SIDELIGHT		
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



607TPZ		422TPZ	
3/4 LIGHT		3/4 SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686/687*TPZ				694/690TPZ	
FULL LIGHT			7" or 8" SIDELIGHT		
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



TOPAZ 8/0 Doors



686TPZ			694/690TPZ	
8/0 3/4 LIGHT		7" or 8" SIDELIGHT		
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



DRA2P80	
RUSTIC 2-PANEL PLANK	
8/0 x	3/0
TF	•
SF	•
Steel	•

EXTERNAL GRILLE
Micro-Granite Glass

Enhance the style of any home with the Old World beauty of this decorative, wrought iron-inspired design. The scrollwork is hinged to a metal frame, making it easy to open and clean. The Low-E micro-granite textured doorglass provides privacy. A hidden bracket and latch attachment enhances the sophistication of the design.

5 Year Finish Warranty, 20 Year Glass Warranty

Privacy Rating 9



607VR		690VR	
3/4 LIGHT		7" SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686VR			690VR	
FULL LIGHT			7" SIDELIGHT	
6/8 x	2/8	2/10	3/0	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•

8/0 Doors VERANDA



612VR			493VR	
8/0 FULL LIGHT			SIDELIGHT	
8/0 x	2/8	2/10	3/0	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



686VR			690VR	
8/0 3/4 LIGHT			7" SIDELIGHT	
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•

Old World style

PARIS

©2004 ODL



Patina Caming

Clear Bevels, Arctic Glass

Clear Renaissance Glass



IMPACT-RATED


SEVERE WEATHER DOORGLASS AVAILABLE.
TRANSOMS NOT INCLUDED.
SEE PAGES 18-25.

Privacy Rating 4



686/687*PS				694/690PS			
FULL LIGHT				7" or 8" SIDELIGHT			
6/8 x	2/8	2/10	3/0	12"	14"	12"	14"
TF	•	•	•	•	•	•	•
SF	•	•	•	•	•	•	•
Steel	•	•	•	•	•	•	•

ROUND TOP TRANSOM 516PS ■



814PS		819PS	
CRAFTSMAN LIGHT		8" SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•



684PS				692PS			
1/2 LIGHT				SIDELIGHT			
6/8 x	2/8	2/10	3/0	12"	14"	12"	14"
TF	•	•	•	•	•	•	•
SF	•	•	•	•	•	•	•
Steel	•	•	•	•	•	•	•



PARIS 8/0 Doors



612PS				493PS			
8/0 FULL LIGHT				SIDELIGHT			
8/0 x	2/8	2/10	3/0	12"	14"	12"	14"
TF	•	•	•	•	•	•	•
SF	•	•	•	•	•	•	•
Steel	•	•	•	•	•	•	•



686PS				694/690PS			
8/0 3/4 LIGHT				7" or 8" SIDELIGHT			
8/0 x	2/8	3/0	3/0	12"	14"	12"	14"
TF	•	•	•	•	•	•	•
SF	•	•	•	•	•	•	•
Steel	•	•	•	•	•	•	•

RECTANGULAR TRANSOM 507/521PS ■


Wrought Iron




Arctic Glass

IMPACT-RATED

SEVERE WEATHER DOORGLASS AVAILABLE.
TRANSOMS NOT INCLUDED.
SEE PAGES 18-25.



Privacy Rating 9



607JA		422JA	
3/4 LIGHT	3/4 SIDELIGHT	12"	14"
6/8 x	3/0		
TF	•	•	•
SF	•	•	•
Steel	•	•	•

686/687*JA			694/690JA	
FULL LIGHT			7" or 8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"
				14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•

SEGMENT HEAD TRANSOM 532JA



8/0 Doors JACINTO



AG82		493JA	
CTR ARCH DOOR	FULL SIDELIGHT	12"	14"
8/0 x	3/0		
TF	•	•	•
SF	•	•	•
Steel	•	•	•

686JA			694/690JA	
8/0	3/4 LIGHT	7" or 8" SIDELIGHT		
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•

612JA				
DOUBLE FULL LIGHT				
8/0 x	2/8	2/10	3/0	
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•

Old World style

AVANT

©2003 ODL




Black Chrome Caming

Clear Cluster Bevels

Eaton Glass

Granite Glass

Privacy Rating 6



686AV			694/690AV		
FULL LIGHT			7" or 8" SIDELIGHT		
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

ELLIPTICAL TRANSOM 578AV ■



DRS20			694/690AV		
2-PANEL 3/4 HERITAGE			7" or 8" SIDELIGHT		
6/8 x	3/0		12"	14"	
TF	•		•	•	
SF	•		•	•	
Steel	•		•	•	



AVANT 8/0 Doors



612AV		
8/0 FULL LIGHT		
8/0 x	2/8	2/10
TF	•	•
SF	•	•
Steel	•	•



686AV			694/690AV		
8/0 3/4 LIGHT			7" or 8" SIDELIGHT		
8/0 x	2/8	3/0	12"	14"	
TF	•	•	•	•	
SF	•	•	•	•	
Steel	•	•	•	•	

©2007 ODL



Bronze Vein Wrought Iron

Micro-Granite Glass

Privacy Rating 9



686CA	694/690CA	
FULL LIGHT	7" or 8" SIDELIGHT	
6/8 x 2/8	2/10	3/0
TF	•	•
SF	•	•
Steel	•	•



DRA2A	694/690CA	
RUSTIC ARCH PLANK	7" or 8" SIDELIGHT	
6/8 x	3/0	12" 14"
TF	•	•
SF	•	•
Steel	•	•


ROUND TOP TRANSOM **516CA**



8/0 Doors CATALINA



686CA	694/690CA	
8/0 3/4 LIGHT	7" or 8" SIDELIGHT	
8/0 x 2/8	2/10	3/0
TF	•	•
SF	•	•
Steel	•	•



612CA	493CA	
8/0 FULL LIGHT	FULL SIDELIGHT	
8/0 x 2/8	2/10	3/0
TF	•	•
SF	•	•
Steel	•	•

Old World style

MEDITERRANEAN



IN STOCK

©2005 ODL



Wrought Iron

Arctic Glass

Privacy Rating 9





686MD				694/690MD	
FULL LIGHT				7" or 8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

607MD		422MD	
3/4 LIGHT		3/4 SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•
Steel	•	•	•


ELLIPTICAL TRANSOM 506/507MD ■

MEDITERRANEAN 8/0 Doors



612MD				493MD	
8/0 FULL LIGHT				SIDELIGHT	
8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

686MD			694/690MD	
8/0 3/4 LIGHT			7" or 8" SIDELIGHT	
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•




©2002 ODL



Black Chrome Caming

Clear Bevels
Granite & Glacier Glass
Clear Renaissance Glass

Privacy Rating 5




686/687*EN				694/690EN	
FULL LIGHT				7" or 8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

TRANSOM 516EN ■




686/687*EN			
DOUBLE FULL LIGHTS			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



8/0 Doors ENTROPY



686EN				694/690EN	
8/0 3/4 LIGHT				7" or 8" SIDELIGHT	
8/0 x	2/8	3/0	12"	14"	
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



612EN				493EN	
8/0 FULL LIGHT				FULL SIDELIGHT	
8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

Contemporary style

CIRRUS



INSTOCK

©2003 ODL



3/8" Wide Chrome Caming

Thin Reed Glass


Granite Glass

Privacy Rating 9



686CR

DOUBLE FULL LIGHTS			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686CR

694/690L&R-CR

FULL LIGHT				7" or 8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

RECTANGULAR TRANSOM **507CR** ■

CIRRUS 8/0 Doors



612CR

8/0 DOUBLE FULL LIGHT			
8/0 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686CR

694/690L&R-CR

8/0 3/4 LIGHT				7" or 8" SIDELIGHT	
8/0 x	2/8	3/0	12"	14"	
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

RECTANGULAR TRANSOM **507CR** ■






523LI ■
PRIVACY WINDOW

Clear Bevels
Iced Granite Glass
Streamed Glass
Clear Renaissance Glass

IMPACT-RATED

SEVERE WEATHER DOORGLASS AVAILABLE.
TRANSOMS NOT INCLUDED.
SEE PAGES 18-25.



Privacy Rating 7



659LI
SUNBURST

6/8 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•



949LI
3/4 OVAL

6/8 x	3/0
TF	•
SF	•
Mahogany	•
Steel	•

686LI **694/690LI**
FULL LIGHT 7" or 8" SIDELIGHT

6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

684LI **692LI**
1/2 LIGHT SIDELIGHT

6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

Door types have varied panel options.

RECTANGULAR TRANSOM **507LI** ■



8/0 Doors IMPRESSIONS



612LI **493LI**
8/0 FULL LIGHT SIDELIGHT

8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



686LI **694/690LI**
8/0 3/4 LIGHT 7" or 8" SIDELIGHT

8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•

Contemporary style

RADIANT HUES



INSTOCK

©2000 ODL



Nickel Caming


- Clear Bevels
- Gray Renaissance Glass
- Clear Renaissance Glass



IMPACT-RATED

SEVERE WEATHER DOORGLASS AVAILABLE.
TRANSOMS NOT INCLUDED.
SEE PAGES 18-25.

Privacy Rating 6



949RA

3/4 OVAL
6/8 x 3/0
TF •
SF •
Mahogany •
Steel •

Door types have varied panel options.


TRANSOM **517RA** ■



686/687*RA | 694/690RA

FULL LIGHT	7" or 8" SIDELIGHT
6/8 x 2/8 2/10 3/0	12" 14"
TF •	•
SF •	•
Steel •	•

TRANSOM **506/507/521RA** ■



RADIANT HUES 8/0 Doors



686RA

8/0 DOUBLE 3/4 LIGHT	
8/0 x 2/8 3/0	
TF •	•
SF •	•
Steel •	•



686RA | 694/690RA


8/0 3/4 LIGHT	7" or 8" SIDELIGHT
8/0 x 2/8 3/0	12" 14"
TF •	•
SF •	•
Steel •	•

Satin Nickel Caming



Clear Bevels
Thin Reed Glass
Cubed Glass

Privacy Rating 8



607TE		422TE	
3/4 LIGHT		3/4 SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•
Steel	•	•	•



949TE	
3/4 OVAL	
6/8 x	3/0
TF	•
SF	•
Mahogany	•
Steel	•



686TE				694/690TE	
FULL LIGHT				7" or 8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

TRANSOM 503TE ■

Door types have varied panel options.

8/0 Doors TETON



686TE		
8/0 3/4 LIGHT		
8/0 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•



3-PANEL			694/690TE	
			7" or 8" SIDELIGHT	
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
STEEL	•	•	•	•

Contemporary style

SIMPLICITY





ODL

Frosted & Grooved Glass

Privacy Rating 9




Creates a 3-dimensional effect with patterns on two panels of glass.



684SM		692SM	
1/2 LIGHT		SIDELIGHT	
6/8 x	2/8 2/10 3/0	12"	14"
TF	• • •	•	•
SF	• • •	•	•
Steel	• • •	•	•



686SM			694/690SM	
FULL LIGHT			7" or 8" SIDELIGHT	
6/8 x	2/8 2/10 3/0	12"	14"	
TF	• • •	•	•	
SF	• • •	•	•	
Steel	• • •	•	•	



SIMPLICITY 8/0 Doors



3-PANEL			694/690SM	
			7" or 8" SIDELIGHT	
8/0 x	2/8 3/0	12"	14"	
TF	• •	•	•	
SF	• •	•	•	
STEEL				




686SM		
8/0 3/4 LIGHT		
8/0 x	2/8	3/0
TF	•	•
SF	•	•
Steel		•

Oil-Rubbed Bronze Caming



- Granite Glass
- Micro-Granite Glass
- Thin Reed Glass
- Bronze Soft Wave Glass
- Clear Bevels

Privacy Rating 7



607AG		422AG	
3/4 LIGHT	3/4 SIDELIGHT	12"	14"
6/8 x 3/0			
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686AG				694/690AG	
FULL LIGHT				7" or 8" SIDELIGHT	
6/8 x 2/8	2/10	3/0	12"	14"	
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

TRANSOM 521AG ■

8/0 Doors ARAGON



686AG			694/690AG	
8/0 3/4 LIGHT	3/0	7" or 8" SIDELIGHT	12"	14"
8/0 x 2/8				
TF	•	•	•	•
SF	•	•	•	•
STEEL	•	•	•	•

Eclectic style

BELFLOWER **NEW**



©2010 CDL

Patina Caming

- Hammered Glass
- Yellow Swirl Glass*
- Thin Reed Glass
- Ruby Red Soft Wave Glass
- Olive Soft Wave Glass
- Clear Bevels

Privacy Rating 8




* Variation in color intensity, graining and swirl pattern make each handcrafted Bellflower design unique.



814BLF		819BLF	
CRAFTSMAN LIGHT		8" SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•



607BLF		422BLF	
3/4 LIGHT		3/4 SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686BLF			694/690BLF	
FULL LIGHT			7" or 8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•

TRANSOM 521BLF ■



BELFLOWER 8/0 Doors




686BLF		
8/0 3/4 LIGHT		
8/0 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•



3-PANEL			694/690BLF	
			7" or 8" SIDELIGHT	
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
STEEL				


©2000 ODL




Brass or Satin Nickel Caming
Clear Bevels
Granite Glass
Gray Renaissance Glass

IMPACT-RATED

SEVERE WEATHER DOORGLASS AVAILABLE.
TRANSOMS NOT INCLUDED.
SEE PAGES 18-25.



Privacy Rating 4




531EX ■
PRIVACY WINDOW



686/687*EX		694/690EX	
FULL LIGHT	6/8 x 2/8 2/10 3/0	7" or 8" SIDELIGHT	12" 14"
TF	• • • •	• • • •	• • • •
SF	• • • •	• • • •	• • • •
Steel	• • • •	• • • •	• • • •

ROUND TOP TRANSOM **516EX** ■



607EX ■		422EX ■	
FULL LIGHT	6/8 x 3/0	7" or 8" SIDELIGHT	12" 14"
TF	• • • •	• • • •	• • • •
SF	• • • •	• • • •	• • • •
Steel	• • • •	• • • •	• • • •

SEGMENT HEAD TRANSOM **532EX** ■



919EX		
FULL OVAL	6/8 x 2/8 2/10 3/0	
TF	• • • •	• • • •
SF	• • • •	• • • •
Steel	• • • •	• • • •

TRANSOM **517EX** ■
517-Brass only



686EX		694/690EX	
8/0 3/4 LIGHT	8/0 x 2/8 3/0	7" or 8" SIDELIGHT	12" 14"
TF	• • • •	• • • •	• • • •
SF	• • • •	• • • •	• • • •
Steel	• • • •	• • • •	• • • •

TRANSOM **506/507/521EX** ■



612EX		493EX	
8/0 FULL LIGHT	8/0 x 2/8 2/10 3/0	SIDELIGHT	12" 14"
TF	• • • •	• • • •	• • • •
SF	• • • •	• • • •	• • • •
Steel	• • • •	• • • •	• • • •

8/0 Doors

Classic Style CADENCE


US Patent #D4827995




INSTOCK

 Patina Caming

Clear Bevel Cluster
Ripple Glass
Hammered Glass

 **IMPACT-RATED**
SEVERE WEATHER DOORGLASS
AVAILABLE. TRANSOMS NOT
INCLUDED. SEE PAGES 18-25.


Privacy Rating 5



531CD ■
PRIVACY WINDOW



919CD
FULL OVAL
6/8 x 2/8 | 2/10 | 3/0
TF • • •
SF • • •
Steel • • •



686CD | **694/690CD**
DOUBLE FULL LIGHT | 7" or 8" SIDELIGHT
6/8 x 3/0 | 12" 14"
TF • • •
SF • • •
Mahogany • • •
Steel • • •

ROUND TOP TRANSOM **516CD** ■



607CD | **422CD**
3/4 LIGHT | 3/4 SIDELIGHT
6/8 x 3/0 | 12" 14"
TF • • •
SF • • •
Steel • • •



949CD | **694/690CD**
3/4 OVAL | 7" or 8" SIDELIGHT
6/8 x 3/0 | 12" 14"
TF • • •
SF • • •
Mahogany • • •
Steel • • •

Door types have varied panel options.



CADENCE 8/0 Doors




612CD | **493CD**
8/0 FULL LIGHT | 8/0 SIDELIGHT
8/0 x | 2/8 | 2/10 | 3/0 | 12" 14"
TF • • • • •
SF • • • • •
Steel • • • • •



686CD | **694/690CD**
8/0 3/4 LIGHT | 7" or 8" SIDELIGHT
8/0 x | 2/8 | 3/0 | 12" 14"
TF • • • • •
SF • • • • •
Steel • • • • •

SEGMENT HEAD TRANSOM **532CD** ■





Patina Caming

Clear Cluster Bevels
Gray Renaissance Glass
Clear Renaissance Glass

Privacy Rating 3



949LM

3/4 OVAL
6/8 x 1 3/0
TF
SF
Mahogany
Steel

Door types have varied panel options.



686LM

FULL LIGHT
6/8 x 2/8 2/10 3/0 12" 14"
TF
SF
Steel

694/690LM

7" or 8" SIDELIGHT
6/8 x 2/8 2/10 3/0 12" 14"
TF
SF
Steel

TRANSOM 506/506/521LM ■



8/0 Doors LEGACY MASTER




612LM

8/0 FULL LIGHT
8/0 x 2/8 2/10 3/0 12" 14"
TF
SF
Steel

493LM

FULL SIDELIGHT
8/0 x 2/8 2/10 3/0 12" 14"
TF
SF
Steel



686LM

8/0 3/4 LIGHT
8/0 x 2/8 2/10 3/0 12" 14"
TF
SF
Steel


694/690LM

7" or 8" SIDELIGHT
8/0 x 2/8 2/10 3/0 12" 14"
TF
SF
Steel


Classic Style HEIRLOOMS



Brass or Satin Nickel Caming
Clear Cluster Bevels
Glue Chip Glass
Granite Glass

 **IMPACT-RATED**
SEVERE WEATHER DOORGLASS AVAILABLE.
TRANSOMS NOT INCLUDED.
SEE PAGES 18-25.

Privacy Rating 6



607HM	422HM
3/4 LIGHT	3/4 SIDELIGHT
6/8 x 3/0	12" 14"
TF •	•
SF •	•
Steel •	•

SEGMENT HEAD TRANSOM **532HM** ■



919HM	694HM
FULL OVAL	SIDELIGHT
6/8 x 2/8 2/10 3/0	12" 14"
TF •	•
SF •	•
Steel •	•

ROUND TOP TRANSOM **516HM** ■



949HM
3/4 OVAL
6/8 x 3/0
TF •
SF •
Mahogany •
Steel •

Door types have varied panel options.



HEIRLOOMS 8/0



612HM
8/0 FULL LIGHT
8/0 x 2/8 2/10 3/0
TF •
SF •
Steel •



686HM	694HM
8/0 3/4 LIGHT	SIDELIGHT
8/0 x 2/8 3/0	12" 14"
TF •	•
SF •	•
Steel •	•

TRANSOM **506/507/521HM** ■



531HM ■
PRIVACY WINDOW



659HM
SUNBURST
6/8 x 2/8 3/0
TF • •
SF • •
Steel • •



686/687*HM
FULL LIGHT
6/8 x 2/8 2/10 3/0
TF • • •
SF • • •
Steel • • •

TRANSOM **517HM** ■



640HM
CENTER LIGHT
6/8 x 3/0
TF •
SF •
Steel •

Satin Nickel only.



684HM				692HM	
1/2 LIGHT				SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

ELLIPTICAL TRANSOM **503/578HM** ■



Classic Style

TRIPOLI




Patina Caming

Glue Chip Glass

Alabaster Glass


Glue Chip Cluster Bevels

Privacy Rating 6



919TP				694/690TP	
FULL OVAL				7" or 8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

TRANSOM 507/521TP ■



607TP		422TP	
3/4 LIGHT		3/4 SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•
Steel	•	•	•

TRANSOM 503/578TP ■



684TP			692TP		
1/2 LIGHT			SIDELIGHT		
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



686/687*TP			
DOUBLE FULL LIGHT			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•

TRIPOLI 8/0 Doors



686TP			694/690TP	
8/0 3/4 LIGHT			7" or 8" SIDELIGHT	
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•




531TP ■
PRIVACY WINDOW



523TP ■
PRIVACY WINDOW





Satin Nickel Caming

- Clear Bevels
- Clear Cluster Bevels
- Granite Glass
- Hammered Glass

Privacy Rating 7



686/687*BT				694/690BT	
FULL LIGHT				7" or 8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



684BT				692BT	
1/2 LIGHT				SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

8/0 Doors BRISTOL



612BT			493BT	
8/0 FULL LIGHT			SIDELIGHT	
8/0 x	2/8	2/10	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



686BT			694/690BT	
8/0 3/4 LIGHT			7" or 8" SIDELIGHT	
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•

Classic style

MAJESTIC



Brass, Nickel, or Patina Caming

Glue Chip Bevels


Glue Chip Glass

Gray Soft Wave Glass




IMPACT-RATED

SEVERE WEATHER DOORGLASS AVAILABLE.
TRANSOMS NOT INCLUDED.
SEE PAGES 18-25.




531ME ■
PRIVACY WINDOW



523ME ■
PRIVACY WINDOW



Privacy Rating 6




640ME	
CENTER LIGHT	
6/8 x	3/0
TF	•
SF	•
Steel	•



607ME		422ME	
3/4 LIGHT		3/4 SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•
Steel	•	•	•

607/422ME Brass or Nickel only



684ME		692ME	
1/2 LIGHT		SIDELIGHT	
6/8 x	2/8 2/10 3/0	12"	14"
TF	• • •	•	•
SF	• • •	•	•
Steel	• • •	•	•



686/687*ME			694/690ME	
FULL LIGHT			7" or 8" SIDELIGHT	
6/8 x	2/8	2/10 3/0	12"	14"
TF	•	• •	•	•
SF	•	• •	•	•
Steel	•	• •	•	•

ELLIPTICAL TRANSOM **503/578ME** ■
503ME Brass & Nickel only

MAJESTIC 8/0 Doors



612ME		493ME	
8/0 FULL LIGHT		FULL SIDELIGHT	
8/0 x	2/8 2/10 3/0	12"	14"
TF	• • •	•	•
SF	• • •	•	•
Steel	• • •	•	•


612/493ME Brass & Nickel only



686ME		694/690ME	
8/0 3/4 LIGHT		7" or 8" SIDELIGHT	
8/0 x	2/8 3/0	12"	14"
TF	• •	•	•
SF	• •	•	•
Steel	• •	•	•

TRANSOM **506/507/521ME** ■
521ME Brass & Nickel only






686/687*MN	694/690MN
FULL LIGHT	
6/8 x 2/8	2/10 3/0
TF	• • • •
SF	• • • •
Mahogany	• • • •
Steel	• • • •
SEGMENT HEAD TRANSOM 532MN ■	



Brass, Nickel, or Patina Caming

Clear Cluster Bevels
Clear Bevels
Glue Chip Glass

Privacy Rating 6



684MN	692MN
1/2 LIGHT SIDELIGHT	
6/8 x 2/8	2/10 3/0 12" 14"
TF	• • • •
SF	• • • •
Steel	• • • •
684/692MN Stocked in Brass & Nickel TRANSOM 503/578MN ■	



919MN
FULL OVAL
6/8 x 2/8 2/10 3/0
TF
SF
Steel
Stocked in Nickel Only



949MN
3/4 OVAL
6/8 x 3/0
TF
SF
Mahogany
Steel
Door types have varied panel options. Stocked in Nickel Only



686MN	694/690MN
8/0 3/4 LIGHT 7" or 8" SIDELIGHT	
8/0 x 2/8	3/0 12" 14"
TF	• • • •
SF	• • • •
Steel	• • • •
TRANSOM 507/521MN ■	

8/0 Doors NOUVEAU



531MN ■
Nickel Only
PRIVACY WINDOW

DRG9180
9-PANEL
8/0 x 3/0
TF

Eclectic or Classic style

CASABLANCA NEW



INSTOCK

©2010 ODL

Dark Gray Silkscreen
Light Gray Silkscreen
Clear Glass

Privacy Rating 8



949CSB

3/4 OVAL	
6/8 x	3/0
TF	•
SF	•
Mahogany	•
Steel	•

Door types have varied panel options.



684CSB				692CSB	
1/2 LIGHT			SIDELIGHT		
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

919CSB			
FULL OVAL			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•

686CSB				694/690CSB	
FULL LIGHT			7" or 8" SIDELIGHT		
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

CASABLANCA 8/0 Door



686CSB			694/690CSB	
8/0 3/4 LIGHT		7" or 8" SIDELIGHT		
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



NEW

Light Gray Silkscreen
Clear Glass

Privacy Rating 8



686TRC				694/690TRC	
FULL LIGHT				7" or 8" SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



949TRC		
3/4 OVAL		
6/8 x	2/8	3/0
TF	•	•
SF	•	•
Mahogany	•	•
Steel	•	•



919TRC				694TRC	
FULL OVAL				SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



684TRC				692TRC	
1/2 LIGHT				SIDELIGHT	
6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

Door types have varied panel options.



TRACE 8/0 Doors



DRS2B80		
2-PANEL SQUARE TOP		
8/0 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•



686TRC				694/690TRC	
8/0 3/4 LIGHT				7" or 8" SIDELIGHT	
8/0 x	2/8	3/0	12"	14"	
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•

Classic Style

CUT CRYSTAL



INSTOCK



Clear Grooved Glass

Privacy Rating 1



686CC	694/690CC	
FULL LIGHT	7" or 8" SIDELIGHT	
6/8 x 2/8 2/10 3/0	12"	14"
TF	•	•
SF	•	•
Steel	•	•



686CC
DOUBLE FULL LIGHT
6/8 x 2/8 2/10 3/0
TF
SF
Steel



CUT CRYSTAL 8/0 Doors



612CC	493CC	
8/0 FULL LIGHT	FULL SIDELIGHT	
8/0 x 2/8 2/10 3/0	12"	14"
TF	•	•
SF	•	•
Steel	•	•



686CC	694/690CC	
8/0 3/4 LIGHT	7" or 8" SIDELIGHT	
8/0 x 2/8 3/0	12"	14"
TF	•	•
SF	•	•
Steel	•	•





CLEAR DOORGLASS



TUBULAR SKYLIGHTS - SPECIAL ORDER

Energy saving.

e Look for Low-E

Available as a clear doorglass option, Low-E glass is made with an invisible thin metallic coating that blocks heat flow. A proven energy saver, Low-E glass reduces air conditioning costs by reducing solar transmissions in the summer. In the winter, it reduces heat loss to the outside and allows solar energy to pass inside. Available in Severe Weather®, Blinds and Shades, Grilles between Glass, and Clear Doorglass. See www.odl.com for specific thermal performance information.

ODL glass can be used in doors to meet ENERGY STAR® criteria.

-  PROVEN ENERGY SAVER
-  REDUCE FABRIC FADING
-  REDUCE SOLAR HEAT GAIN
-  REDUCE CONDENSATION



BLINDS & SHADES - CONTROL DAYLIGHT

Privacy Glass

PRIVACY SERIES: RAIN GLASS



Textured Rain Glass

Energy efficient! Only available with Low-E glass

Privacy Rating 9



640RN	
6/8 x	3/0
TF	•
SF	•
Steel	•



664RN	
6/8 x	2/8 2/10 3/0
TF	• • •
SF	• • •
Steel	• • •



684RN		692RN	
6/8 x	2/8	2/10	3/0
12"	14"		
TF	•	•	•
SF	•	•	•
Steel	•	•	•



681RN		693RN	
6/8 x	2/8	2/10	3/0
12"	14"		
TF	•	•	•
SF	•	•	•
Steel	•	•	•




660RN	
6/8 x	2/8 2/10 3/0
TF	• • •
SF	• • •
Steel	• • •



814RN [†]	
6/8 x	3/0
TF	•
SF	•



817RN [†]	
3-LIGHT	
6/8 x	3/0
TF	•
SF	•



818RN [†]		819RN [†]	
6-LIGHT		8" SIDELIGHT	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•




686/687*RN		694/690RN	
6/8 x	2/8	2/10	3/0
12"	14"		
TF	•	•	•
SF	•	•	•
Steel	•	•	•



689/688*RN		695RN	
6/8 x	2/8	2/10	3/0
12"	14"		
TF	•	•	•
SF	•	•	•
Steel	•	•	•

624 14x64 available for 2/0 doors

† Model 800 series Craftsman frames are a flat profile that is different from the traditional profile. Please note this when matching with sidelights.



8/0 Door



686RN		694/690RN	
8/0 x	2/8	3/0	12"
14"			
TF	•	•	•
SF	•	•	•
Steel	•	•	•



612RN	
8/0 x	2/8
2/10	3/0
TF	• • •
SF	• • •
Steel	• • •

TRIPLE-GLAZED DOORGLASS BLINDS



Patent pending

Raise/Lower & Tilt
20 YEAR WARRANTY

- Suppresses sound with an STC* value of 35.
- Triple-glazed design reduces heat transmission by up to 28%.
- Blinds completely disappear into top valance when fully raised.
- 11/16" White Contoured Internal Grilles

* STC = Sound Transmission Coefficient.
See odl.com for more information.



686BLD

	6/8 x	2/8	2/10	3/0
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



684CGBG-BLD 9L

	9 LIGHT			
	6/8 x	2/8	2/10	3/0
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



686CGBG-BLD 10L

	10 LIGHT			
	6/8 x	2/8	2/10	3/0
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



686CGBG-BLD 15L


	15 LIGHT			
	6/8 x	2/8	2/10	3/0
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•

8/0 Doors




686BLD

	8/0 x	2/8	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686CGBG-BLD 10L

	8/0 x	2/8	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686CGBG-BLD 15L

	8/0 x	2/8	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•

Clear Doorglass

DOORGLASS BLINDS



INSTOCK

Patent pending

Raise/Lower & Tilt
20 YEAR WARRANTY



IMPACT-RATED
SEVERE WEATHER DOORGLASS AVAILABLE.
SEE PAGES 18-25.

*Models 684, 672, 686, 687, and 624 have separate controls for the tilt and raise/lower functions.



Doorglass Blinds include a Light-Touch® control that raises, lowers, and tilts with the touch of a finger.



No dusting. Blinds are sealed between tempered safety glass.



684/672*RLB	692RLB
6/8 x 2/8	2/10 3/0 12" 14"
TF	• • • • •
SF	• • • • •
Steel	• • • • •



607RLB
6/8 x 3/0
TF
SF
Steel



686/687*RLB	690RLB
6/8 x 2/8	2/10 3/0 12" 14"
TF	• • • • •
SF	• • • • •
Steel	• • • • •



624RLB
6/8 x 2/0 2/4
TF
SF
Steel



8/0 Doors



612/496*RLB
8/0 x 2/8 2/10 3/0
TF
SF
Steel



487RLB
8/0 x 2/0 2/4
TF
SF
Steel

Clear Doorglass

DOORGLASS SHADE

U.S. Patent 6,932,139

Raise and Lowers
10 YEAR WARRANTY

- Lift from the bottom, lower from the top, or both.
 - Easy to operate.
- No exposed cords or dangling tilt wands.
 - Sealed between the glass.
 - NO Dusting. No allergens.
 - Soft, white fabric shade.



684RLS

	6/8 x	2/8	2/10	3/0
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



686/687*RLS

	6/8 x	2/8	2/10	3/0
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•

Light-Touch® controls easily raise and lower internal shade.

VENTS

Clear or Privacy Glass
10 YEAR WARRANTY

- UV-resistant injection molded frame.
- Energy efficient 3/4" glass with .50 U-value.
- Interlocking rails with double seals ensure a tight fit to resist air- and water-infiltration.



799CL

	6/8 x	2/8	2/10	3/0
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



799RN

	6/8 x	2/8	2/10	3/0
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



799GBG

	6/8 x	2/8	2/10	3/0
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



799RN/GBG

	6/8 x	2/8	2/10	3/0
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•

Clear Doorglass

GRILLES BETWEEN GLASS & CLEAR DOORGLASS



Grilles Between the Glass

5/8" GRILLE BAR



Available in White



Champagne Special Order



IMPACT-RATED

SEVERE WEATHER DOORGLASS AVAILABLE. SEE PAGES 18-25.

8/0 Doors



612/496*PIM | **493PIM**

8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



686PIM | **694/690PIM**

8/0	3/4 LIGHT	7" or 8" SIDELIGHT		
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



684PIM

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



607PIM

6/8 x	3/0
TF	•
SF	•
Steel	•



686/687*PIM | **694/690PIM**

6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



NEW ARTS & CRAFTS GRILLES BETWEEN GLASS SPECIAL ORDER ONLY



Grilles Between the Glass

5/8" GRILLE BAR



Available in White

SPECIAL ORDER ONLY

8/0 Doors



612/496*ACGBG | **493ACGBG**

8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



612/496*ACGBG

8/0 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



684ACGBG
3-LIGHT

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



684ACGBG
4-LIGHT

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686/687*ACGBG
4-LIGHT

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



607ACGBG
3-LIGHT

6/8 x	3/0
TF	•
SF	•
Steel	•



607ACGBG
4-LIGHT


6/8 x	3/0
TF	•
SF	•
Steel	•



686/687*ACGBG
3-LIGHT

6/8 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•





607GBG		422GBG	
6/8 x	3/0	12"	14"
TF	•	•	•
SF	•	•	•
Steel	•	•	•



692GBG			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•




659GBG		692GBG	
6/8 x	2/8	3/0	14"
TF	•	•	•
SF	•	•	•
Steel	•	•	•



684GBG			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•

Grilles Between the Glass

5/8" GRILLE BAR



IMPACT-RATED
SEVERE WEATHER DOORGLASS AVAILABLE. SEE PAGES 18-25.




600/601GBG			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686/687*GBG 10L			
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•

624 14x64 available for 2/0 doors




686/687*GBG 15L		690/694GBG	
6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686GBG 10L		694/690GBG	
8/0 x	2/8	3/0	14"
TF	•	•	•
SF	•	•	•
Steel	•	•	•




686GBG 15L		
8/0 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•



612/496*GBG 12L		
8/0 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•

487 14x80 available for 2/0 doors



612/496*GBG 18L		493GBG	
8/0 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•

SPECIAL ORDER GRILLE STYLES

SLIM LINE

GRILLES BETWEEN GLASS

5/16" GRILLES



WIDE BAR PRAIRIE

OR STANDARD

GRILLES BETWEEN GLASS

7/8" GRILLES



CONTOURED

GRILLES BETWEEN GLASS

11/16" GRILLES



SIMULATED DIVIDED LIGHT



817CL 3L	
6/8 x	3/0
TF	•
SF	•



818CL 6L	
6/8 x	3/0
TF	•
SF	•

Clear Doorglass

IMPACT-RATED
SEVERE WEATHER DOORGLASS AVAILABLE.
SEE PAGES 18-25.



EXTERNAL GRILLES AND CLEAR DOORGLASS

INSTOCK



680CL

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



640CL

6/8 x	3/0
TF	•
SF	•
Steel	•



658CL

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



648CL

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



814CL
CRAFTSMAN LIGHT

6/8 x	3/0
TF	•
SF	•



664CL

6/8 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•



224CL

6/8 x	2/8	3/0
SF	•	•
Steel	•	•



660CL

6/8 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•



659CL

6/8 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•




626CL

6/8 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•



412CL

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



696CL

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



692CL

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



693CL

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



684/672*CL

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



681/670*CL 9L

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



682CL 12L

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



673CL

6/8 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•


8/0 Doors



686CL	694/690CL			
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



613CL	695CL			
8/0 x	2/8	3/0	12"	14"
TF	•	•	•	•
SF	•	•	•	•
Steel	•	•	•	•



628CL 10L

8/0 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•



610CL 12L

8/0 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•

EXTERNAL GRILLES AND CLEAR DOORGLASS



949CL

6/8 x	3/0
TF	•
SF	•
Steel	•



607CL

6/8 x	3/0
TF	•
SF	•
Steel	•



610CL 12L

6/8 x	3/0
TF	•
SF	•
Steel	•




919CL

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



686/687*CL

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



628/627*CL 10L

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•




689/688*CL 15L

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



602CL

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•



701CL

6/8 x	2/8	2/10	3/0
TF	•	•	•
SF	•	•	•
Steel	•	•	•

Sidelights



692CL

6/8 x	12	14
TF	•	•
SF	•	•
Steel	•	•



693CL

6/8 x	12	14
TF	•	•
SF	•	•
Steel	•	•



422CL

6/8 x	12	14
TF	•	•
SF	•	•
Steel	•	•



423CL

6/8 x	12	14
TF	•	•
SF	•	•
Steel	•	•



694/690CL

7" or 8" Sidelight		
6/8 x	12	14
TF	•	•
SF	•	•
Steel	•	•



695CL

6/8 x	12	14
TF	•	•
SF	•	•
Steel	•	•



700CL

6/8 x	12	14
TF	•	•
SF	•	•
Steel	•	•



607CL

8/0 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•




612/496*CL 493CL

8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



613CL 12L 474CL

8/0 x	2/8	2/10	3/0	12"	14"
TF	•	•	•	•	•
SF	•	•	•	•	•
Steel	•	•	•	•	•



614CL 18L


8/0 x	2/8	3/0
TF	•	•
SF	•	•
Steel	•	•

8/0 Doors

Coordinate the Elements of Your Entry

YALE® LOCKSETS

INSTOCK



OIL-RUBBED BRONZE
US10BP



POLISHED CHROME
US26




SATIN NICKEL
US15



POLISHED BRASS
PVD

Locks

Yale Residential Securities offers a complete range of lockset styles and finishes perfectly suited to complete your **BHI Doors** entry system. Combining years of engineering refinement with fine craftsmanship, Yale continues the high standards set forth by Linus Yale in the mid-19th century. Three collections of locksets offer superior functionality, easy installation, and secure performance. All Yale locksets are backed by a lifetime limited finish and mechanical warranty.



Design Elements • ANSI GRADE 2

Artfully designed locksets for exceptional beauty and high performance. Homeowners will appreciate the character and personality this collection offers through its four finishes and interchangeable parts.

	BRASS US3	SATIN NICKEL US 15	OIL RUBBED BRONZE US10BP	BRIGHT CHROME US 26
OVATION	•	•	•	•
PEDESTAL	•	•	•	•
DEMI ROUND RONDEL	•	•	•	•
ELLIPSE RONDEL	•	•	•	•
ELLIPSE OVALETTE	•	•	•	•
SAVOYE	•	•	•	•
PALLADIAN	•	•	•	•
WINGATE	•	•	•	•
HOMESTEAD	•	•	•	•



OVATION



PEDESTAL



MEDALLION
DEADBOLT



RONDEL
DEADBOLT



OVALETTE
DEADBOLT



SAVOYE



PALLADIAN



WINGATE



ELLIPSE
RONDEL



ELLIPSE
MEDALLION



ELLIPSE
OVALETTE



DEMI ROUND
RONDEL



DEMI ROUND
RONDEL




Coordinate the Elements of Your Entry

INSTOCK

YALE® LOCKSETS



POLISHED BRASS
US3



GUN METAL
USGM



ANTIQUE NICKEL
US15A



OIL RUBBED BRONZE
US10BP



TEXTURED BLACK
US10BP



YH Collection

Prestige, strength, and longevity. Residential and light-commercial locksets in a wide range of exciting designs at surprisingly affordable prices. (ANSI Grade 2)

	BRASS US3	GUN METAL USGM	ANTIQUE NICKEL US15A	SATIN NICKEL US 15	OIL RUBBED BRONZE US10BP	TEXTURED BLACK USTB	DULL CHROME US 26D	GUARD GOLD YGG
DEAD BOLT	•	•	•	•	•	•	•	
DARTMOUTH				•	•			
CAMBRIDGE	•	•	•	•	•	•		
CITADEL							•	
MARINA				•	•			
NORWOOD	•	•	•	•	•	•		
MCCLURE	•		•	•	•	•		
JAMESTOWN		•	•	•	•	•		•
HOMESTEAD		•	•	•	•	•		•



DEADBOLT
UL Available



DARTMOUTH
10BP



DARTMOUTH
US 15



CAMBRIDGE



JAMESTOWN



HOMESTEAD



CITADEL
UL Available



MARINA



NORWOOD



MCCLURE



New Traditions

Standard-duty residential locksets with enhanced quality, durability, and style features. (ANSI Grade 3)

	BRASS US3	GUN METAL USGM	ANTIQUE NICKEL US15A	SATIN NICKEL US 15	OIL RUBBED BRONZE US10BP	TEXTURED BLACK USTB	DULL CHROME US 26D
DEAD BOLT	•	•	•	•	•	•	
HORIZON	•	•	•	•	•		
TERRA		•		•	•		
CIRRUS	•	•		•	•		•
SAVANNAH	•		•	•	•	•	•
WOODLAND		•	•	•	•	•	•
MCKINLEY	•	•	•	•	•	•	•
RAINIER	•	•	•	•	•	•	•



DEADBOLT



TERRA



CIRRUS



MCKINLEY



RAINIER



SAVANNAH



WOODLAND



Security and Weather Protection

W&F Multi-point locks create the ultimate secure-door system for fiberglass doors. Multiple latches and bolts prevent forced entry and create additional weather sealing especially suited to hurricane prone areas.

SYSTEM FEATURES

- Grade 40 forced-intrusion rating
- Tighter door sealing than a single-point lock
- Durable, ergonomic design for smooth operation
- Intuitive North American function (latch and deadbolt release in a single downward movement)
- Variety of entry grip handle and lever trim available in several finishes (sold separately)
- PVD finishes available on selected trim sets.

TEN YEAR LIMITED MECHANICAL WARRANTY

See your dealer for more information.



DEADBOLTED



LATCHED



RELEASE




Top Ten Reasons to Buy a W&F Multi-point Lock

1. **SUPERIOR SECURITY PERFORMANCE!** Our impact performance exceeds ASTM Grade 40.
2. **BEST SOLUTION FOR DOUBLE DOOR ENTRY SYSTEMS.** Eliminates the need for surface mounted head and foot bolts!
3. **SUPERIOR LOCK SYSTEM CONSTRUCTION.** One piece I-beam system improves door panel capability--reduces panel movement due to thermal bowing, reduces the amount of costly jobsite call backs.
4. **ONLY MULTI-POINT LOCK WITH STAND ALONE FLORIDA CODE APPROVAL.** 3-Point tested to DP-95, 5-Point Tested to DP-100 (Mahogany Doors), impact tested to Dade County specifications with specific partners.
5. **BROADEST CHOICE OF HANDLE HARDWARE FOR MULTI-POINT SYSTEMS.** W&F, Rocky Mountain, and Emtek available in many styles and finishes.
6. **NORTH AMERICAN DESIGN AND FUNCTION.** Meets fire code and life safety code egress functions. Latches and deadbolts at all 3 points. Rollers on all 3 strikes reduce operating forces.
7. **MULTI-POINT SOLUTIONS FOR A WIDE RANGE OF DOORS.** Installs In wood, fiberglass, and engineered panels. Available for door heights 6/8, 7/0, 8/0, 9/0 and 10/0. No special extensions or modification required. Fits door thickness of 1-3/4" up to 3".
8. **SYSTEMS ARE AVAILABLE IN A MATCHING FINISH.** Lock edge, strike plates, and handle-sets can all be coordinated. **US32D stainless steel recommended for lock mechanism in Florida applications.*
9. **STANDARD DOOR PREP UTILIZED.** 2-3/8". backset allows for larger hardware use. 2-3/4" optional backset.
10. **DESIGNED, FABRICATED, AND MANUFACTURED IN THE USA!**

Handle Set Features

- Solid brass strikeplates and faceplates available
- W&F trim sets can drive our multi-point or traditional latch and deadbolt
- Exclusive series of art-grade Solid Bronze handles available



ECLIPSE

HORIZON

PINNACLE

MODERN



New alternative to wood frames.

Doorframes & Moldings

20-MINUTE FIRE-RATED

CLOSED CELLULAR STRUCTURE ensures doorframe and molding will not absorb or wick moisture, and prevents warping, rotting, and splitting RIGID POLY-FIBER FORMULATION eliminates the need for an aluminum support channel TWICE THE SCREW-HOLDING POWER of traditional wood doorframes. EASILY MACHINED just like wood frames.

Primed finish (shown in white) is ready to paint.

Embossed/Woodgrain finish (shown in tan) is ready to stain or paint.

TRADITIONAL WOOD FRAMES ALSO AVAILABLE.



Brickmold Options

176 SMOOTH PRIMED

180 SMOOTH PRIMED

180 EMBOSSED WOODGRAIN



Jamb Options

AVAILABLE IN: 4-9/16", 5-1/4", 6-9/16", & 7-1/4"

AVAILABLE IN: 4-9/16", 5-1/4", 6-9/16", & 7-1/4"





INSTOCK

Coordinate the Elements of Your Entry

TEMPO® HARDWARE HINGES




Hinges


CONSTRUCTED FROM THE FINEST MATERIALS AVAILABLE.

- Each hinge leaf and pin is nickel-plated to protect from corrosion
- An epoxy-resin coating is applied for long-lasting durability
- Prior to final assembly, the pins are lubricated to reduce friction


In-Stock Finishes




US2D
Zinc Dichromate



US3
Bright Brass



US3/4
Bright Satin Brass



USPB
Primed Black



US5
Antique Brass




US10C
Aged Bronze



US15A
Antique Nickel



US15S
Pewter



USPP
Prime



US26
Bright Chrome



US26D
Satin Chrome



US32D
Stainless Steel





Astragals

FOR SECURING DOUBLE-DOOR ENTRYWAYS.


- Available in white, bronze and stainable (bronze is standard for stain-grade door systems)
- High quality construction and flush bolt locking mechanism

Thresholds

- Available in aluminum, bronze, bright gold, oak and special colors (all units come standard with an aluminum/mill finish threshold)
- Many style specifications available including Handicap



Astragal flush bolt has locking flip lever for security.



Travertine

Antique Nickel

White Marble

Dark Maple Grain

Custom color
long-lasting
powder coated
finishes available

All astragals and thresholds are Florida Building Code compliant




IN STOCK

Coordinate the Elements of Your Entry

ODL® DOORGLASS

Doorglass Caming

Caming—the metal banding that joins panels of glass—can be a small detail with a big impact on the overall look of your entry. Choose from various options of caming or wrought iron to coordinate with your door hardware, outdoor fixtures, or interior furnishings.



Decorative Doorglass

Thermally sealed between 2 panels of tempered safety glass for air- and water-tight performance.

Decorative Doorglass

Clear Tempered Safety Glass

Thermally Sealed To Save Energy

Safety glass is up to four times as strong (impact resistant) as annealed glass. If broken, it shatters into many small fragments, which prevent major injuries. Tempered safety glass is produced from annealed glass using a heat treating process.

Slight bubbles, lines, and surface imperfections are all unique characteristics of handcrafted glass.

20-YEAR GLASS WARRANTY

Doorglass Frame Materials and Styles

ODL offers several frame material options and a variety of different frame styles to choose from. Ask representative for details on availability.

STANDARD HP



TRADITIONAL PROFILE

Profiled screw covers.

CRAFTSMAN



CRAFTSMAN PROFILE

Includes both Pyramid and Domed covers.

TRISYS®



CLASSIC PROFILE

Concealed attachments for a seamless frame profile.

Quality you can trust.

ODL products are covered by separate limited warranties. The warranty does not apply to damage from shipping, handling, installation, storage, environmental conditions, or unusual service conditions or usage. For warranty information contact:

ODL Customer Service,
215 East Roosevelt Avenue,
Zeeland, Michigan 49464,

See www.odl.com
for more information.

FLORIDA & WIND-BORNE DEBRIS REGIONS — FIBERGLASS DOORS

FIBERGLASS GLAZED DOORS (NON-IMPACT GLASS) Shuttered (WBD Region), Wood or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
9162.1	X	3/0 x 6/8	No	Inswing / Outswing	+60/-60
9162.2	OX or XO	6/0 x 6/8	No	Inswing / Outswing	+60/-60
9162.3	OXXO	9/0 x 6/8	No	Inswing / Outswing	+60/-60
9162.4	XX	6/0 x 6/8	No	Inswing / Outswing	+60/-60
9162.5	OXXO	12/0 x 6/8	No	Inswing / Outswing	+60/-60
9390.6	X	3/0 x 8/0	No	Inswing / Outswing	+47/-47
9390.7	OX or XO	6/0 x 8/0	No	Inswing / Outswing	+47/-47
9390.8	OXXO	9/0 x 8/0	No	Inswing / Outswing	+47/-47
9390.9	XX	6/0 x 8/0	No	Inswing / Outswing	+47/-47
9390.10	OXXO	12/0 x 8/0	No	Inswing / Outswing	+47/-47

FIBERGLASS SOLID DOORS W/ GLAZED SIDELTS (NON-IMPACT GLASS) Unshuttered Door, Shuttered Sidelights, Wood or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
9162.6	X	3/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9162.7	OX or XO	6/0 x 6/8	Yes / No	Inswing / Outswing	+50/-50
9162.8	OXXO	9/0 x 6/8	Yes / No	Inswing / Outswing	+50/-50
9162.9	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9162.10	OXXO	12/0 x 6/8	Yes / No	Inswing / Outswing	+50/-50
11321.6	X	3/0 x 8/0	Yes	Inswing / Outswing	+65/-65 (OS) +65/-70 (IS)
6234.3	XO or OX	4/2 x 8/0	Yes / No	Inswing / Outswing	+40/-40 (OS) +42/-48 (IS)
6234.5	OXXO	5/4 x 8/0	Yes	Inswing / Outswing	+40/-40 (OS) +42/-48 (IS)
11321.9	XX	6/0 x 8/0	Yes	Inswing / Outswing	+45/-45 (OS) +45/-50 (IS)
6234.8	OXXO	8/4 x 8/0	Yes	Inswing / Outswing	+40/-40 (OS) +42/-48 (IS)

FIBERGLASS GLAZED DOORS W/ MULTI-POINT LOCK (NON-IMPACT GLASS) Shuttered (WBD Region), Wood or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
13158.1	X, OX or XO, OXXO	9/0 x 7/0	No	Inswing / Outswing	+45/-45
13158.2	XX, OXXO	12/0 x 7/0	No	Inswing / Outswing	+45/-45
13158.9	X, OX or XO, OXXO	9/0 x 8/0	No	Inswing / Outswing	+45/-45
13158.10	XX, OXXO	12/0 x 8/0	No	Inswing / Outswing	+45/-45

FIBERGLASS SOLID DOORS W/ MULTI-POINT LOCK (NON-IMPACT GLASS) Shuttered (WBD Region), Wood or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
13158.3	X, OX or XO, OXXO	9/0 x 7/0	No	Inswing / Outswing	(IS) X:+55/-60 XO/OXXO:+45/-45 (OS) X:+55/-55 XO/OXXO:+45/-45
13158.4	XX, OXXO	12/0 x 7/0	No	Inswing / Outswing	(IS) XX:+50/-55 OXXO:+45/-45 (OS) XX:+50/-50 OXXO:+45/-45
13158.11	X, OX or XO, OXXO	9/0 x 8/0	No	Inswing / Outswing	(IS) X:+55/-60 XO/OXXO:+45/-45 (OS) X:+55/-55 XO/OXXO:+45/-45
13158.12	XX, OXXO	12/0 x 8/0	No	Inswing / Outswing	(IS) XX:+50/-55 OXXO:+45/-45 (OS) XX:+50/-50 OXXO:+45/-45

TRIMMABLE FIBERGLASS (NON-IMPACT GLASS) Shuttered (WBD Region), Composite Frames Only

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
12108.1 (Op)	X	3/0 x 6/8	No	Inswing Only	
12108.2 (Glz)	X	3/0 x 6/8	No	Inswing Only	

FIBERGLASS DOORS IN STEEL REDIFRAME* Shuttered (WBD Region)

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
8078.5	X Solid	3/0 x 6/8	No	Inswing / Outswing	
8078.6	X Glazed	3/0 x 6/8	No	Inswing / Outswing	

FIBERGLASS DOORS IN STEEL REDIFLEX Shuttered (WBD Region)

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
8078.1	X Solid	3/0 x 6/8	No	Inswing / Outswing	
8078.2	X Glazed	3/0 x 6/8	No	Inswing / Outswing	

FIBERGLASS GLAZED DOORS (IMPACT GLASS) Unshuttered, Wood or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
12590.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+50/-50
12590.2	OX or XO	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
12590.3	OXXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50
12590.4	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
12590.5	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9390.1	X	3/0 x 8/0	Yes	Inswing / Outswing	+50/-50
9390.2	OX or XO	6/0 x 8/0	Yes	Inswing / Outswing	+50/-50
9390.3	OXXO	9/0 x 8/0	Yes	Inswing / Outswing	+50/-50
9390.4	XX	6/0 x 8/0	Yes	Inswing / Outswing	+50/-50
9390.5	OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+50/-50

FIBERGLASS SOLID DOORS W/ GLAZED SIDELTS (IMPACT GLASS) Unshuttered, Wood or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
11321.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+50/-50
11321.2	OX or XO	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
11321.3	OXXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50
11321.4	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
11321.5	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50
11321.6	X	3/0 x 8/0	Yes	Inswing / Outswing	+65/-65 (OS) +65/-70 (IS)
11321.7	OX or XO	6/0 x 8/0	Yes	Inswing / Outswing	+47/-47
11321.8	OXXO	9/0 x 8/0	Yes	Inswing / Outswing	+47/-47
11321.9	XX	6/0 x 8/0	Yes	Inswing / Outswing	+45/-45 (OS) +45/-50 (IS)
11321.10	OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+47/-47

FIBERGLASS GLAZED DOORS W/ MULTI-POINT LOCK (IMPACT GLASS) Unshuttered, Wood or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
13158.5	X, OX or XO, OXXO	9/0 x 7/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50
13158.6	XX, OXXO	12/0 x 7/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50
13158.13	X, OX or XO, OXXO	9/0 x 8/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50
13158.14	XX, OXXO	12/0 x 8/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50

FIBERGLASS SOLID DOORS W/ MULTI-POINT LOCK (IMPACT GLASS) Unshuttered, Wood or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
13158.7	X, OX or XO, OXXO	9/0 x 7/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50
13158.8	XX, OXXO	12/0 x 7/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50
13158.15	X, OX or XO, OXXO	9/0 x 8/0	Yes	Inswing / Outswing	(IS) X:+55/-60 XO/OXXO:+45/-45 (OS) X:+55/-55 XO/OXXO:+45/-45
13158.16	XX, OXXO	12/0 x 8/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50

RUSTIC SOLID FIBERGLASS DOORS 6554.1 Unshuttered, 6554.2 Shuttered, Wood Or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
6554.1	X	3/0 x 8/0	Yes	Outswing Only	
6554.2	X	3/0 x 8/0	No	Inswing Only	

FIBERGLASS SOLID ***FIRE-RATED*** DOOR IN STEEL REDIFRAME TD* Unshuttered

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
9231.1	X Solid	3/0 x 6/8	Yes	Inswing / Outswing	

FLORIDA & WIND-BORNE DEBRIS REGIONS — FIBERGLASS DOORS

COMPONENT APPROVALS CAN BE COMBINED WITH ANY FLORIDA APPROVED GLAZED SYSTEM THAT DOES NOT SPECIFY ODL DOORGLASS.

FL #	DESCRIPTION
3234	Non-Impact Doorglass · Standard HP Frame · 6/8 & 8/0 · 1/8", 1/2", 1" Glass · DP= +60 / -60
4177.1	Non-Impact Doorglass in STEEL Door · up to 3/0x6/8 · Standard HP Frame DP= +50 / -50 · SmartFrame DP = +60 / -60
4177.2	Non-Impact Doorglass in FIBERGLASS Door · up to 3/0x6/8 · Standard HP Frame DP= +65 / -65 · SmartFrame DP = +60 / -60
10091	Non-Impact Fluted Architectural Series Doorglass for SHUTTERED systems · 6/8 & 8/0 · DP= +65 / -65
8797	IMPACT Doorglass for UNSHUTTERED systems · up to 3/0x6/8 & 3/0x8/0 · DP = (see installation instructions)

FLORIDA & WIND-BORNE DEBRIS REGIONS — STEEL DOORS

STEEL-EDGE GLAZED DOORS (NON-IMPACT GLASS)
Shuttered (WBD Region), Wood or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
9542.1	X	3/0 x 6/8	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.2	OX or XO	6/0 x 6/8	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.3	OXXO	9/0 x 6/8	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.4	XX	6/0 x 6/8	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.5	OXXO	12/0 x 6/8	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.6	X	3/0 x 8/0	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.7	OX or XO	6/0 x 8/0	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.8	OXXO	9/0 x 8/0	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.9	XX	6/0 x 8/0	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.10	OXXO	12/0 x 8/0	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)

WOOD-EDGE GLAZED DOORS (NON-IMPACT GLASS)
Shuttered (WBD Region), Wood or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
9541.1	X	3/0 x 6/8	No	Inswing / Outswing	+40/-40
9541.2	OX or XO	6/0 x 6/8	No	Inswing / Outswing	+40/-40
9541.3	OXXO	9/0 x 6/8	No	Inswing / Outswing	+40/-40
9541.4	XX	6/0 x 6/8	No	Inswing / Outswing	+40/-40
9541.5	OXXO	12/0 x 6/8	No	Inswing / Outswing	+40/-40

STEEL GLAZED DOORS IN STEEL REDIFLEX
Shuttered (WBD Region)

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
8078.4	X Glazed	3/0 x 6/8	No	Inswing / Outswing	+45/-45 (OS) +45/-50 (IS)

STEEL GLAZED DOORS IN STEEL REDIFLEX
Unshuttered

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
8078.3	X	3/0 x 6/8	Yes	Inswing / Outswing	+65/-66

STEEL-EDGE OPAQUE DOORS IN REDIFLEX
Shuttered, Steel Frame

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
1766.1	X	3/0 x 6/8	No	Inswing / Outswing	+66 / -66

STEEL SOLID DOORS IN STEEL REDIFRAME PD*
Unshuttered

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
9231.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+60/-60 (OS) +60/-65 (IS)
9231.2	X	3/0 x 8/0	Yes	Inswing / Outswing	+60/-60 (OS) +60/-65 (IS)

*REDIFRAME not available as a pre-hung system. Approvals provided for reference only.

COMPONENT APPROVALS CAN BE COMBINED WITH ANY FLORIDA APPROVED GLAZED SYSTEM THAT DOES NOT SPECIFY ODL DOORGLASS.

FL #	DESCRIPTION
3234	Non-Impact Doorglass · Standard HP Frame · 6/8 & 8/0 · 1/8", 1/2", 1" Glass · DP= +60 / -60
4177.1	Non-Impact Doorglass in STEEL Door · up to 3/0x6/8 · Standard HP Frame DP= +50 / -50 · SmartFrame DP = +60 / -60
4177.2	Non-Impact Doorglass in FIBERGLASS Door · up to 3/0x6/8 · Standard HP Frame DP= +65 / -65 · SmartFrame DP = +60 / -60
10091	Non-Impact Fluted Architectural Series Doorglass for SHUTTERED systems · 6/8 & 8/0 · DP= +65 / -65
8797	IMPACT Doorglass for UNSHUTTERED systems · up to 3/0x6/8 & 3/0x8/0 · DP = (see installation instructions)

STEEL-EDGE GLAZED DOORS (IMPACT GLASS)
Unshuttered, Wood Frames Only

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
8845.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.2	XO or OX	6/0 x 8/0	Yes	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.3	OXXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.4	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.5	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.6	X	3/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8845.7	XO or OX	6/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8845.8	OXXO	9/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8845.9	XX	6/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8845.1	OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+50 / -50

STEEL-EDGE SOLID DOORS W/ GLAZED SIDELIGHTS
(IMPACT GLASS) Unshuttered, Wood Frames Only

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
8892.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+80 / -80
8892.2	XO or OX	5/4 x 6/8	Yes	Inswing / Outswing	+60 / -60
8892.3	OXXO	9/0 x 6/8	Yes	Inswing / Outswing	+60 / -60
8892.4	XX	6/0 x 6/8	Yes	Inswing / Outswing	+60 / -60
8892.5	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+60 / -60
8892.6	X	3/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8892.7	XO or OX	5/4 x 8/0	Yes	Inswing / Outswing	+50 / -50
8892.8	OXXO	9/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8892.9	XX	6/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8892.10	OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+50 / -50

WOOD-EDGE GLAZED DOORS (IMPACT GLASS)
Unshuttered, Wood Or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
9406.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9406.2	OX or XO	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9406.3	OXXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9406.4	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9406.5	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50

WOOD-EDGE SOLID DOORS W/ GLAZED SIDELTS
(IMPACT GLASS) Unshuttered, Wood Or Composite Frames

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
9539.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+60/-60
9539.4	XX	6/0 x 6/8	Yes	Inswing / Outswing	+60/-60
9539.6	OX or XO	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9539.7	OXXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9539.8	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50

FREE TRANSOM/BATH FIXED WINDOW
Standard Insulated Tempered Glass or
with Optional Triple Glazed Decorative Glass Panel

FL #	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
4554.1	-	-	NO	Fixed	120

Specifications

DOOR AND PRE-HUNG SYSTEMS


DOOR SLAB DIMENSIONS										
SINGLE DOOR UNITS — STEEL & FIBERGLASS								SIDELIGHT		
DOOR & SIDELIGHT WIDTHS	2/0	2/4	2/6	2/8	2/10	2/10*	3/0	12"	14"	
Width	6/8 & 8/0	23-3/4"	27-3/4"	29-3/4"	31-3/4"	33-3/4"	33-3/4"	35-3/4"	12"	14"
Height	6/8	79-1/4"	79-1/4"	79-1/4"	79-1/4"	79-1/4"	78"	79-1/4"	79-1/4"	79-1/4"
Height	8/0	95-1/4"	95-1/4"	95-1/4"	95-1/4"	95-1/4"	95-1/4"	95-1/4"	95-1/4"	95-1/4"

PRE-HUNG DIMENSIONS									
UNITS IN PF OR WOOD FRAMES — STEEL & FIBERGLASS								SIDELIGHT	
DOOR & SIDELIGHT WIDTHS	2/0	2/4	2/6	2/8	2/10	2/10*	3/0	12"	14"
Single Unit Width	25-1/2"	29-1/2"	31-1/2"	33-1/2"	35-1/2"	35-1/2"	37-1/2"	13-1/2"	15-1/2"
Double Unit Width	50-1/8"	58-1/8"	62-1/8"	66-1/8"	70-1/8"	70-1/8"	74-1/8"	—	—
Unit Height - 6/8 Inswing	82"	82"	82"	82"	82"	80-5/8"*	82"	82"	82"
Unit Height - 6/8 Outswing	80-5/8"	80-5/8"	80-5/8"	80-5/8"	80-5/8"	79-3/8"*	80-5/8"	80-5/8"	80-5/8"
Unit Height - 8/0 Inswing	98"	98"	98"	98"	98"	98"	98"	98"	98"
Unit Height - 8/0 Outswing	96-5/8"	96-5/8"	96-5/8"	96-5/8"	96-5/8"	96-5/8"	96-5/8"	96-5/8"	96-5/8"

* Undersized available for replacing sliding glass doors.

PRE-HUNG DIMENSIONS FOR OPERATING SIDELIGHTS									
UNITS IN PF OR WOOD FRAMES — STEEL & FIBERGLASS – DOOR & SIDELIGHTS									
DOOR & SIDELIGHT WIDTHS	3/0 SINGLE DOOR W/ 1-12" SIDELIGHTS				3/0 SINGLE DOOR W/ 1-14" SIDELIGHTS				
UNIT WIDTH	50-1/4"				52-1/4"				
Unit Height - 6/8 Inswing	82"				82"				
Unit Height - 6/8 Outswing	80-5/8"				80-5/8"				
Unit Height - 8/0 Inswing	98"				98"				
Unit Height - 8/0 Outswing	96-5/8"				96-5/8"				

TRANSOM DIMENSIONS FOR DECORATIVE GLASS (Ask us about other sizes for clear transoms)




3/0
SINGLE DOOR

12" 3/0 12"
SINGLE DOOR W/2-12" SIDELIGHTS


14" 3/0 14"
SINGLE DOOR W/2-14" SIDELIGHTS

DOOR HANDING CHART (handing is determined from OUTSIDE view)

SINGLE DOORS



DOUBLE DOORS



Plastpro® Pre-Finishing Kit

Contains everything you need to stain one prehung door and two sidelights or one double door unit.

- Add increased protection and durability to the life of your Plastpro Fiberglass Entry Door.
- New water-based top coat is environmentally friendly and allows faster drying times.
- Special formula offers long lasting vibrant colors.
- Easy-to-Use for the Do-It-Yourselfer and Professional Painters
- Designed exclusively for Plastpro Fiberglass door.



Normal Maintenance

Limited 5-Year Finish Warranty

Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

It is considered normal maintenance to re-apply the topcoat approximately every two years.

Contains everything you need.

- ZAR® Exterior Water-Based Polyurethane(qt)
- ZAR® Wood Stain (pt)
- Mineral Spirits (4 oz.)
- Two 2" Foam Brushes
- One 2-1/2" Synthetic Bristle Brush
- One Cheese Cloth
- Two Stir Sticks
- One Pair of Latex Gloves
- Two Skin Samples
- Door Staining Instructions

Stain Color Options:

You can control the shade (lighter or darker) of each of the 6 stain colors during application by varying the amount of stain applied. Actual stain color may vary. For best result, test on door skin sample first.

	CHERRY	DARK MAHOGANY	EARLY AMERICAN	DANISH WALNUT	MOORISH TEAK	CHARCOAL
DARK						
MEDIUM						
LIGHT						



New Product Spotlight

"THE VENTILATION COMBINATION"



SCAN WITH YOUR
SMART PHONE HERE

Entry systems specifically designed
for *Florida* and *Green Living*.

authorized dealer

www.bhitampa.com